# **Higher Tier Formulae Sheet**

#### Perimeter, area and volume

Where a and b are the lengths of the parallel sides and h is their perpendicular separation:

Area of a trapezium = 
$$\frac{1}{2} (a + b) h$$

Volume of a prism = area of cross section  $\times$  length

Where r is the radius and d is the diameter:

Circumference of a circle =  $2\pi r = \pi d$ 

Area of a circle =  $\pi r^2$ 


#### Quadratic formula

The solution of  $ax^2 + bx + c = 0$ 

where  $a \neq 0$ 

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

# Pythagoras' Theorem and Trigonometry



In any right-angled triangle where a, b and c are the length of the sides and c is the hypotenuse:

$$a^2 + b^2 = c^2$$

In any right-angled triangle *ABC* where *a*, *b* and *c* are the length of the sides and *c* is the hypotenuse:


$$\sin A = \frac{a}{c} \quad \cos A = \frac{b}{c} \quad \tan A = \frac{a}{b}$$

In any triangle *ABC* where *a*, *b* and *c* are the length of the sides:

sine rule: 
$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

cosine rule: 
$$a^2 = b^2 + c^2 - 2bc \cos A$$

Area of triangle = 
$$\frac{1}{2} a b \sin C$$



#### **Compound Interest**

Where P is the principal amount, r is the interest rate over a given period and n is number of times that the interest is compounded:

Total accrued = 
$$P \left( 1 + \frac{r}{100} \right)^n$$

# **Probability**

Where P(A) is the probability of outcome A and P(B) is the probability of outcome B:

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

$$P(A \text{ and } B) = P(A \text{ given } B) P(B)$$

#### **END OF EXAM AID**

#### **Foundation Tier Formulae Sheet**

#### Perimeter, area and volume

Where a and b are the lengths of the parallel sides and h is their perpendicular separation:

Area of a trapezium = 
$$\frac{1}{2} (a + b) h$$


Volume of a prism = area of cross section  $\times$  length

Where r is the radius and d is the diameter:

Circumference of a circle =  $2\pi r = \pi d$ 

Area of a circle =  $\pi r^2$ 

# Pythagoras' Theorem and Trigonometry



In any right-angled triangle where a, b and c are the length of the sides and c is the hypotenuse:

$$a^2 + b^2 = c^2$$

In any right-angled triangle ABC where a, b and c are the length of the sides and c is the hypotenuse:

$$\sin A = \frac{a}{c} \quad \cos A = \frac{b}{c} \quad \tan A = \frac{a}{b}$$

### **Compound Interest**

Where P is the principal amount, r is the interest rate over a given period and n is number of times that the interest is compounded:

Total accrued =  $P\left(1 + \frac{r}{100}\right)^n$ 

### **Probability**

Where P(A) is the probability of outcome A and P(B) is the probability of outcome B:

$$P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

#### **END OF EXAM AID**

# Pearson Edexcel GCSE (9-1) Mathematics

2025 Assessment Window

Syllabus reference

**1MA1** 

По

# Mathematics Foundation tier Exam Aid

You are not permitted to take this notice into the examination. A version of this equation list will be included with the 2025 question papers. This document is valid if downloaded from the <u>Pearson</u> Qualifications website.

#### Instructions

• Please ensure that you have read this aid before the examination.


#### Information

- A formula sheet will be provided for foundation tier and for higher tier students.
- The format/structure of the assessments remains unchanged.
- This exam aid provides students with additional exam formulae which they may refer to in their examinations.
- Please note, a copy of this exam aid will be made available to all students on the day of the examination as an insert in the question paper.
- There are no restrictions on who can use this aid.
- Students and teachers can discuss this exam aid.
- This document has 2 pages.

**Continue** ▶







## Instructions

• Please ensure that you have read this aid before the examination.

#### Information

- A formula sheet will be provided for foundation tier and for higher tier students.
- The format/structure of the assessments remains unchanged.
- This exam aid provides students with additional exam formulae which they may refer to in their examinations.
- Please note, a copy of this exam aid will be made available to all students on the day of the examination as an insert in the question paper.
- There are no restrictions on who can use this aid.
- Students and teachers can discuss this exam aid.
- This document has 2 pages.





**Continue** ▶